



# MOBILE BARRIERS F11



ADAPTS TO ALL SURFACES

FAST ASSEMBLY

EASY STORAGE AND TRANSPORT

LONG LIFE CYCLE

FULLY PORTABLE

# ADVANTAGES

## FUNCTIONAL MOBILITY SYSTEM

- Unique, mobile solution against ram vehicles
- Tested with functional mobile system on 4x4
- Ultra-fast assembly, does not require any tools
- Easy storage and transport (Rack and SecurityBox)
- Long life cycle, minimal maintenance
- Model does not cause panic
- Fully portable barrier that can be moved for priority vehicles
- Withstands an impact of 7.5 t at 48 km/h.
- Withstands an impact of 2.5 t at 64 km/h with the wheels in ,On' position.
- Adapts to all surfaces and all terrains including pavements and uneven levels
- Can be used on uneven, descending or ascending surfaces.

The **PITAGONE F11** was tested in its fully operational position.

Observation after each Crash-Test:  
Engine destroyed, Vehicle Disabled.

## MOBILE SYSTEM INCLUDED

### NO SHARP EDGES OR VISIBLE SPIKES



Height: 100 cm

Width: 9.5 cm


Depth: 105 cm

Total weight: 48.3 kg

Distance between the modules: 80 cm








## RACK F11


### FUNCTIONAL MOBILE SYSTEM

- Resistant to the harshest usage conditions
- An operational productivity time-saver
- More efficient use of space in your warehouses
- Significant reduction in transport costs
- Quick and easy to handle
- Prevents: theft, breakage and loss
- Dimensions: 120cm x 80cm x 102.5cm
- Net weight: 70 kg
- Weight with 6 modules: 332.8 kg



## CONTAINER F11

### BEST SUITED TO THE STORAGE AND TRANSPORT



### CONTAINER DIMENSIONS

Length	250 cm
Widht	120 cm
Height	135 cm
Net weight	415 kg
Weight with 12 modules	967 kg

### THE OPERATIONAL SOLUTION

- Allows better use of space in your warehouses and a significant reduction in transport costs.
- Quick and easy to handle.
- Galvanised steel chassis.
- Protect F11 from weather disruptions and avoid theft, breakage and loss.



### CRASH-TEST





The PITAGONE F11 was tested in its fully operational position.

Observation after each Crash-Test:  
Engine destroyed, Vehicle Disabled.



## FUNCTIONAL MOBILITY SYSTEM



Test Designation	Vehicle Mass	Test Speed	Test Angle
N2A	7.5 T 	48 km/h	
<b>Tested by the Australian authorities</b> <b>FUNCTIONAL MOBILITY SYSTEM</b>			
Test Designation	Vehicle Mass	Test Speed	Test Angle
N1G	2.5 T 	64 km/h	

Franz Achleitner Fahrzeugbau & Reifenzentrum GMBH in cooperation with PITAGONE®  
All rights reserved - 2020



**PITAGONE**  
Threat Management

Franz Achleitner Fahrzeugbau & Reifenzentrum GMBH  
Maukenbach 18c | 6241 Radfeld | AUSTRIA

T: +43 5337 66 600

[barriers@achleitner.com](mailto:barriers@achleitner.com)

[www.achleitner.com/fahrzeugbau](http://www.achleitner.com/fahrzeugbau)

